



# IRON MADE IN ITALY SRL

P.IVA C.F 08550710969 N.REA :LO-1472159



## Models AB - the professional irons


Professional iron ideal for industrial use and of remarkable sturdiness. Upon request equipment with steam protection on the handle support. Available in two versions.



mod.PAB



mod.GAB

Model AB		
Soleplate dimensions:	PAB	GAB
	x = 195 mm. y = 115 mm z = 19 mm	x = 220 mm. y = 120 mm z = 19 mm
Soleplate weight:	0,750 kg	0,900 kg
Total weight of complete iron:	2,2 kg.	2,6 kg.
Resistance:	American <b>CHROMALOX</b> applied on the soleplate (replaceable)	
Nominal power:	800 - 1000w	
Nominal voltage:	230v - 110v	
Thermostat:	<b>Sammex</b> thermostat, silver contacts, adjustable from 50° to 230°-10A 250V	
Plastic materials:	Polyamides reinforced with fiber glass, all top quality, certified materials.	
Micro switch:	C42ZN silver contacts 16A250V T85 approved	
Electric cable:	4x1 cotton-coated silicone standard length 2,3 mt	

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**

## Models AC - The professional irons


Iron with considerable capacities, whether of duration or of precision. Applicable on big steam generators and dry-cleaning machines, it is indicated for a merely industrial use



mod.PAC



mod.GAC

Model AC		
Soleplate dimensions:	PAC	GAC
	x = 195 mm. y = 115 mm z = 19 mm	x = 220 mm. y = 120 mm z = 19 mm
Soleplate weight:	0,750 kg	0,900 kg
Total weight of complete iron:	2,2 kg.	2,6 kg.
Resistance:	American <b>CHROMALOX</b> applied on the soleplate (replaceable)	
Nominal power:	800 - 1000w	
Nominal voltage:	230v - 110v	
Thermostat:	Campini thermostat, rapid click, silver contacts, reinforced temperature adjustment Shaft. Adjustable from 0° to 230° - 10A 250V	
Plastic materials:	Polyamides reinforced with fiber glass, all top quality, certified materials.	
Micro switch:	C42ZN silver contacts 16A250V T85 approved	
Electric cable:	4x1 cotton-coated silicone standard length 2,3 mt	

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**



# IRON MADE IN ITALY SRL

P.IVA C.F 08550710969 N.REA :LO-1472159



## Models NE - the professional irons for home


Planned in an optic of comfortable use, is the lightest and most easily-handled of the professional ones. Available in two versions.



mod.PNE



mod.GNE

Model NE		
<b>Soleplate dimensions:</b>	<b>PNE</b>	<b>GNE</b>
	x = 195 mm. y = 115 mm z = 19 mm	x = 220 mm. y = 120 mm z = 19 mm
<b>Soleplate weight:</b>	0,750 kg	0,900 kg
<b>Total weight of complete iron:</b>	1,7 kg.	2,0 kg.
<b>Resistance:</b>	Armoured fused in alluminium applied on the soleplate (replaceable)	
<b>Nominal power:</b>	800 - 1000w	
<b>Nominal voltage:</b>	230v - 110v	
<b>Thermostat:</b>	<b>Campini</b> thermostat, rapid click, silver contacts, reinforced temperature adjustment Shaft. Adjustable from 0° to 230° - 10A 250V	
<b>Plastic materials:</b>	Polyamides reinforced with fiber glass, all top quality, certified materials.	
<b>Micro switch:</b>	C42ZN silver contacts 16A250V T85 approved	
<b>Cavo elettrico:</b>	4x0,75 (5x0,75 on request) HO5RR approval standard length 2,3 mt.	

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**



**IRON MADE IN ITALY SRL**

**P.IVA C.F 08550710969 N.REA :LO-1472159**



**SE models - Irons Dry Professional**


**Iron designed in a perspective of ease of use is the most professional light and handy. Available in two versions**



**mod.PSE**



**mod. GSE**

<b>Modello SE</b>		
	<b>PSE</b>	<b>GSE</b>
<b>Soleplate dimensions:</b>	x = 195 mm. y = 115 mm z = 19 mm	x = 220 mm. y = 120 mm z = 19 mm
 <b>Soleplate weight:</b>	0,750 kg  1,7 kg.	0,900 kg  2,0 kg.
<b>Total weight of complete iron:</b>	Armoured fused in alluminium applied on the soleplate (replaceable)	
<b>Resistence:</b>	800 - 1000w	
<b>Nominal power:</b>	230v - 110v	
<b>Nominal voltage:</b>	<b>Campini</b> thermostat, rapid click, silver contacts, reinforced temperature adjustment Shaft. Adjustable from 0° to 230° - 10A 250V	
<b>Thermostat:</b>		
<b>Plastic materials:</b>	Polyamides reinforced with fiber glass, all top quality, certified materials.	
<b>Cavo elettrico:</b>	4x0,75 in silicone rivestito in cotone length 2,2 mt	

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**



**IRON MADE IN ITALY SRL**


**P.IVA C.F 08550710969 N.REA :LO-1472159**



### **Models FAC - Seam opening iron**

This new product has been created for professional use. The fundamental characteristics are its lightness and handiness, combined with the reduced dimensions of the plate, perfect ironing of the most difficult points of any cloth is guaranteed.



<b>Model FAC</b>	
<b>Soleplate dimensions:</b> 	<b>FAC</b> x = 185 mm. y = 67 mm z = 21 mm
<b>Soleplate weight:</b>	0,600 kg
<b>Total weight of complete iron:</b>	1,000 kg.
<b>Resistance:</b>	Armoured fused onto soleplate (no replaceable)
<b>Nominal power:</b>	800 - 1000w
<b>Nominal voltage:</b>	220v - 110v
<b>Thermostat:</b>	<b>Campini</b> thermostat, rapid click, silver contacts, reinforced temperature adjustment Shaft. Adjustable from 0° to 230° - 10A 250V
<b>Plastic materials:</b>	Polyamides reinforced with fiber glass, all top quality, certified materials.
<b>Micro switch:</b>	C42ZN silver contacts 16A250V T85 approved
<b>Electric cable:</b>	4x1 cotton-coated silicone standard length 2,3 mt

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**



**IRON MADE IN ITALY SRL**

**P.IVA C.F 08550710969 N.REA :LO-1472159**



### **Plastic handles**

Plastic handles of reinforced thermoplastic resins with fiberglass which, maintaining excellent qualities of sturdiness and toughness, guarantee a minor thermal conduction, higher elasticity and, finally, more lightness. All these qualities assure a high convenience of use.

### **Iron handles with steam protection iron**

Made of chromium plated steel, these handles guarantee maximum sturdiness for the heaviest irons of professional use.

**Plastic handles with steam protection** Plastic handles of reinforced thermoplastic resin with fiberglass. The steam protection and steam control are incorporated under the handle which left-hand operators can use without any modification.

**Plastic handles with steam protection**



**Iron handles**



**Handles with steam protection**

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**

## Spare parts

		
Filament thermofuse	"Button" contact, fitted onto the soleplate, with brackets, operating temperature: 315°-330°-10A 250V	SAMMAX thermostat for models AB
		
CAMPINI thermostat for models AC e NE	Miniaturized micro MS 62	Miniaturized micro C 42 ZN
		
LN terminal board in thermosetting composition for AC and NE models	Terminal board for models NE	Ceramic terminal board for versions with iron handle support for AC and AB
		
Alluminium iron resistance-800w- 1000w 230v 50hz	Chromalox resistance-800w-1000w 230v 50hz	with steam protection iron
		
with steam protection Plastic	CABLE TIE TUBE	FASCETTE STRINGITUBO

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**



# IRON MADE IN ITALY SRL

P.IVA C.F 08550710969 N.REA :LO-1472159

8

		
IRON COUNTER WEIGHT 250 gr	COUNTER WEIGHT in alluminium 100 gr	<b>Iron handles</b>
		
SUGHERO HANDLE STANDARD	COPRICONTATTI POSTERIORE FERRO	THERMOSTAT KNOB
		
BIG IRON Soleplate	Small IRON Soleplate	<b>SMALL- BIG -DRY soleplate</b>
		
STEAM HOSE EPDM 5x10 mm	STEAM HOSE SILICONE 5 X 10 mm	<b>ELECTRIC CABLE 4X0,75 mm 2,20mt</b>
		
<b>ELECTRIC CABLE 4X1,00 mm 2,20mt</b>	<b>PASSA CABLE</b>	<b>PORTAGOMMA HOSETAIL 1/8"</b>

**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**





**IRON MADE IN ITALY SRL**

**P.IVA C.F 08550710969 N.REA :LO-1472159**



**IRON MADE IN ITALY SRL**

**VIA GARIBALDI N.7 BORGO S. GIOVANNI 26851(LO) (ingresso via Torino n2/C)**

**FEX / 00390371211764 CELL/ 0039 3394844518- info@ironitaly.it www.ironitaly.it**